

MORE ATTITUDE. MORE LATITUDE.

📍 31°52'22.5 N, 78°36'32.6 E



Scan to discover
where the Xpulse 210
can take you



NEW

XPULSE 210

MAKE NEW TRACKS

IGNITE THE POWER, EMBRACE THE ADVENTURE

Crafted & tested by Hero
Motosports riders, the all New
Xpulse 210 is a machine born
through years of learning from
our racing prowess through
victories on some of the
toughest tracks in the world.
Whether it's tearing up trails or
cruising through endless tarmac,
the all New Xpulse 210 delivers
unparalleled performance
empowering you to
MAKE NEW TRACKS!



WHERE CHAMPIONS RISE

Hero MotoSports' Ross Branch has redefined victory with his relentless pursuit of excellence. From World Champion at FIM W2RC 2024, 2nd at Dakar 2024, dual-stage winner at Dakar 2023 and a 7-time Botswana 1000 Desert Race champion, his achievements are a testament to the unstoppable spirit of adventure and precision engineering of the Xpulse 210.



NEW

X
PULSE
210

MAKE NEW TRACKS

THE HEROES OF MOTOSPORTS



ROSS BRANCH



SEBASTIAN BUHLER



JOSE IGNASIO CORNEJO

INTERNATIONAL RACE RESUME

1 WORLD CHAMPIONSHIP

- BAJA WORLD CUP 2020

5 RALLY WINS

- ABU DHABI '24, BAJA HUNGARY '21, BAJA PORT '20, BAJA INDIA '17, PAN AFRICA '19

12 PODIUMS

- RALLY RAID PORTUGAL '24, ABU DHABI '21, SILKWAY '21, BAJA HUNGARY '21, BAJA PORTALEGRE '20

14 STAGE WINS


- ABU DHABI '23, DAKAR '23, MOROCCO '22, DAKAR '22

DAKAR RALLY

- 2ND IN 2024, 3X TOP 10

FIRST & ONLY INDIAN MANUFACTURER TO WIN MULTIPLE STAGES AT THE DAKAR RALLY

PERFORMANCE




4V DOHC LIQUID COOLED ENGINE

210 cc liquid cooled engine with
20.7 Nm@7250 max Torque and
24.6 ps @9250 Max power

6 SPEED TRANSMISSION

6 Speed Transmission with
Assist and Slipper Clutch:
Lighter clutch operation
during upshifts



RIDE AND HANDLING

CLASS LEADING SUSPENSION TRAVEL

High impact absorption capabilities ensure smoother ride on diverse terrains




SWITCHABLE ABS MODE

Dual channel ABS with 3 modes - Road, Off-Road and Rally provides command to rider on all terrains



DESIGN



ROBUST SEMI-DOUBLE CRADLE FRAME


Most suitable frame archetype
offering optimum stiffness for on
and off-road riding conditions

UPSWEPT EXHAUST

Take on water crossings and
tough trails confidently with
an upswept exhaust that
enhances clearance and
delivers a sporty growl



TECHNOLOGY



TFT SPEEDOMETER

Clear readability even in bright light

CLASS D LED PROJECTOR HEADLAMP

With white light illumination for better road visibility



SPECIFICATIONS

	Parameter	Base	Top
Engine	Engine Type	4 Stroke 4 Valve Single Cylinder Liquid Cooled DOHC	
	Bore & Stroke	73mm x 50 mm	
	Displacement (Cm3)	210 cc	
	Compression Ratio	12 : 1	
	Max Power (Ps/rpm)	24.6 Ps @ 9250rpm	
	Max Torque (Nm/rpm)	20.7 Nm @ 7250 rpm	
	Fuel delivery Type	Fuel Injection	
Transmission & Chassis	Frame Type	Semi Double Cradle of High Tensile Steel	
	Swing Arm	Rectangular Swingarm with Linkage Rod	
	Transmission Type	6 Speed	
	Clutch Type	Wet type-Assist & Slip	
Suspension	Front Suspension Type	Telescopic Front Forks Dia 41mm with Anti Friction Bush	
	Rear Suspension Type	Rectangular Swingarm with 10 Steps Adjustable Gas Charged	
Brakes	Front Brake type	Disc 276 mm (Petal)	
	Rear Brake Type	Disc 220 mm (Petal)	
	ABS	Single Channel with 3 ABS modes	Dual Channel ABS with 3 ABS Modes
Wheels & Tyres	Wheel Type	SPOKE	
	Front Tyre Size	90/90 - 21 M/C 54H	
	Rear Tyre Size	120/80 - 18 M/C 62 H	
Electricals	Battery (V-Ah)	12V- 6 Ah	
	Headlight	Class -D LED Projector with DRL	
	Taillight	New Signature LED Taillight	
	Winker	LED winkers with Hazard Indicator switch	
	Instrument Cluster	4.2" LCD	4.2" TFT
	Connectivity	Bluetooth (Call & SMS Alerts), Turn by Turn Navigation	
	Starting System	Electric	
Dimensions	Overall Length (mm)	2254	
	Overall Width (mm)	872	884
	Overall Height (mm)	1230	1348
	Wheelbase (mm)	1446	
	Seat Height (mm)	830	
	Ground Clearance (mm)	220	
	Fuel Tank Capacity (L)	13	
	Kerb Mass (kg)	168	170

FOUR BOLD COLOURS, INFINITE POSSIBILITIES.

BASE VARIANTS



Glacier White



Wild Red



Azure Blue



Alpine Silver

TOP VARIANTS



Pictures shown are for illustration purposes only and may not be an exact representation of the product. It is our endeavour to constantly improve the product. This could lead to changes in product specifications without any notice. Knobby tires are not part of the standard fitment and are available for purchase separately. Accessories and features shown may not be a part of standard fitment. Actual colour of the vehicle may differ from those shown in the picture.

Hero MotoCorp Ltd. Regd. Office: The Grand Plaza, Plot No. 2, Nelson Mandela Road, Vasant Kunj - Phase -II, New Delhi - 110070, India.
CIN: L35911DL1984PLC017354 | PAN: AAACH0812J Phone No.: 011-46044100, Fax No.: 011-26143198, 26143321. Toll Free No.: 1800-266-0018, Website: www.heromotocorp.com