

12)

·

### NEW HERO

## PRESENTING THE NEW HERO

Discover adventure, excitement and thrill with bigger-wider tyres^, corner bending lights# and fastest acceleration\*.



# BGONLIGHTS

With its industry 1st Corner Bending Lights<sup>#</sup>, see corners in a new light. And as you navigate tricky turns and sharp bends, you'll feel the thrill in your journey.



CORNER BENDING LIGHTS#

> **1**<sup>st</sup> IN SCOOTER INDUSTRY

XUDIM



SIGNATURE H SHAPED POSITION LAMPS ADVANCED PROJECTOR LED HEADLAMPS

**#1<sup>ST</sup> IN SCOOTER 110cc INDUSTRY** 

# **BGON RIDES**

With its 1st in segment bigger and wider tyre<sup>^</sup>, own every road. Rough. Smooth. And everything in between. And its fastest acceleration<sup>\*</sup> will let you take on the steep roads with confidence.



**DISC BRAKE** 

0-60 km/hr in 9.35 sec

FASTEST ACCELERATION\* BIGGER & WIDER TYRE<sup>^</sup> 1"IN THE SEGMENT

ED ON UNIQUE COMBINATION OF FRONT & REAR TYRE DIMENSION COMPARED TO ALL SCOOTER MODELS IN 110cc SEGMENT | "FASTEST COMPARED TO ALL SCOOTER MODELS IN 110cc SEGMENT AS PER INTERNAL TESTING

Its Bluetooth connectivity and fully digital speedometer enable you to check calls or SMS, on the go. So, go out anywhere. Stay connected everywhere.

:) CONTECH



REVOLUTIONARY



BCONSTYLE When you set out, you stand out. Its projector LED front and rear headlamps in the signature H-shape and aerodynamic design will turn heads at every turn.



AERODYNAMIC DESIGN



- 13

船

SPORTY MUFFLER

弘



DIAMOND CUT ALLOY WHEELS BGONCOLOURS

ăQ

Hit the road. Grab everyone's attention. Introducting the new Hero XOOM in alluring and glamourous colours.

Sports Red<sup>+</sup>

XDDM



## Polestar Blue\*\*\*

Black<sup>++</sup>

XDI



Matt Abrax Orange<sup>+</sup>



Pearl Silver White^^

## THE ALL NEW-

## 

A new era in urban mobility is here that is an embodiment of power and precision. Introducing the all new Hero XOOM Combat with style inspired by fighter jets.

it.

MOD

### Fighter wings inspired stripes





EK.

Unique matte shadow grey colour



### **TECHNICAL SPECIFICATIONS**

#### ENGINE

Ty Di

Fι

TF Cl Gl SU Fr

Re

Fr Re Re Bl Fr Re Dl Le

Н

Se G

| NGINE                            |  |
|----------------------------------|--|
| ype                              | Air-cooled, 4-stroke, SI engine                        |
| isplacement                      | 110.9cc  |
| lax Power                        | 6.0kW (8.05 bhp) @ 7250<br>Revolution Per Minute (rpm) |
| lax Torque                       | 8.70 Nm @ 5750 Revolution<br>Per Minute (rpm)          |
| uel System                       | Fuel Injection (FI)                                    |
| gnition                          | Electronic Control Unit (ECU)                          |
| RANSMISSION                      |  |
| lutch                            | Dry, Centrifugal                                       |
| ear Box                          | Variomatic Drive                                       |
| USPENSION                        |  |
| ront                             | Telescopic Hydraulic<br>Shock Absorbers                |
| ear                              | Unit Swing with Spring<br>Loaded Hydraulic Damper      |
| YRES                             |  |
| ront Tyre                        | 90/90-12 54J   |
| ear Tyre LX                      | 90/90-12 54J   |
| ear Tyre VX & ZX<br><b>RAKES</b> | 100/80-12 56L  |
| ront                             | Disc Brake 190mm I Drum Brake 130mm                    |
| ear                              | Drum Brake 130mm                                       |
| IMENSIONS                        |  |
| ength                            | 1881 mm  |
| Vidth                            | Drum 717/Disc 731 mm                                   |
| eight                            | 1118 mm  |
| Vheelbase                        | 1300 mm  |
| eat Height                       | 770 mm   |
| round Clearance                  | 155 mm   |

#### **ELECTRICALS**

| Battery            | 12 V - 4 Ah ETZ5 (MF Battery) |  |  |
|--------------------|-------------------------------|--|--|
| Starting System    | Electric-Start / Kick-Start   |  |  |
| WEIGHT             |                               |  |  |
| Kerb Weight        | ZX 109 kg   (LX & VX) 108 kg  |  |  |
| Fuel Tank Capacity | 5.2 Litres                    |  |  |

### **AVAILABLE IN 3 VARIANTS**

| FEATURE                            | ZX                             | VX                              | LX            |
|------------------------------------|--------------------------------|---------------------------------|---------------|
| Wheel Type                         | Cast Disc                      | Cast Drum                       | Sheet Metal   |
| Advanced Projector LED Headlamps   | ✓                              | ✓                               | ✓             |
| Signature H shaped Position Lamp   | ✓                              | ✓                               | ✓             |
| Signature H shaped LED Tail Lamp   | ✓                              | $\checkmark$                    | ✓             |
| Speedometer                        | Fully digital with<br>Blue LCD | Fully digital with<br>Amber LCD | Digi Analogue |
| Real time Mileage indicator (RTMI) | ✓                              | ✓                               | ✓             |
| Low Fuel Indicator                 | ✓                              | ✓                               | ✓             |
| Revolutionary i3S~ Technology      | ✓                              | ✓                               |               |
| Wider Rear Tyre 100/80             | ✓                              | ✓                               |               |
| Front USB Charger with Glove Box   | ✓                              | ✓                               | Accessory     |
| Boot light                         | ✓                              | $\checkmark$                    | Accessory     |
| Corner Bending Lights <sup>#</sup> | ✓                              |                                 |               |
| Bluetooth connectivity             | ✓                              |                                 |               |
| Diamond cut alloy wheels           | $\checkmark$                   |                                 |               |
| Front Disc Brake                   | ✓                              |                                 |               |
| Colour Options                     | 5                              | 3                               | 2             |



It is our endeavour to improve our product. This could lead to changes in product specifications without notice. Accessories and features shown may not be a part of the standard fitment. Always wear a helmet while riding a two-wheeler. "i3s technology - stops when scooter is in idle. Restarts with press of brake lever and slight throttle (Refer i3s related owner manual pages for more information). +only available in ZX. ++only available in ZX. \*\*As per the cumulative global production volume till 21st January 2021. <sup>\$\$</sup>Based on offers from empanelled dealers on Wheels of Trust platform. For further information, contact nearest Hero MotoCorp authorised outlet (s) or call Toll Free No. 1800-266-0018 or visit website www.heromotocorp.com. <sup>###</sup> as per internal assessment of the respective data available in public domain.

\*15" IN SCOOTER INDUSTRY | \*15" IN SCOOTER 110cc SEGMENT | 'BASED ON UNIQUE COMBINATION OF FRONT & REAR TYRE DIMENSION COMPARED TO ALL SCOOTER MODELS IN 110cc SEGMENT | 'FASTEST COMPARED TO ALL SCOOTER MODELS IN 110cc SEGMENT AS PER INTERNAL TESTING