



***CHALLENGE
THE EXTREME***

***XTREME
125R***



XTREME 125R

The world has a comfortable pace.
People live their lives, time passes,
and the world goes on.
But every once in a while,
there comes a challenger who shakes things up
and goes the Xtreme.
A challenger who refuses to stay in shackles.
A challenger who dares to break it all.

PRESENTING

THE HERO XTREME 125R.

With first-in-class single-channel ABS, first-in-class
all LED setup, and best-in-class acceleration.

It's Time To

***CHALLENGE
THE EXTREME***

***XTREME
125R***



FITTED TO THE XTREME

**LED
Winkers**

**LED Projector
Headlamp**


**Triple Tone
Styling**



**Sprint-EBT
Engine**


**Single-Channel
ABS**

CHALLENGING THE BOUNDARIES OF **PERFORMANCE**



New SPRINT-EBT Engine

A new 125cc SPRINT-EBT (Smooth Power Response and Instant Torque) engine, that will make you challenge everything you knew about power and performance.



0-60 in 5.9 Sec
Best in segment

Goes from 0 to 60 in just 5.9 seconds, fastest in the 125cc category. Zoom across the city as you challenge what it means to be on a 125cc bike.

CHALLENGING THE NORMS OF **STYLE**



LED Projector Headlamp *1st in segment*

Clare on as you challenge the night,
with a first-in-class LED projector headlamp.



LED Winkers *1st in segment*

Challenge what means to have style as you wink your
way on the roads, with first-in-class LED winkers.



Premium LCD Display

A display that challenges your ideas of one. With a negative LCD
display with a super premium look, be sure of attracting eyes
wherever you go. It also comes with Bluetooth, so that you're
connected everywhere, anywhere.



LED Taillamp

Shine on as you take to the streets, the standout LED taillamp.



Stylized Wheel Cover *1st in segment*

Make an impact wherever you go, with first-in-class wheel covers that add panache to your ride.



Sporty Compact Muffler

Make your presence felt with a sporty muffler that makes a statement in style with its superior design.

CHALLENGING THE BENCHMARKS OF **RIDING**



37mm Dia Front Suspension *Best in segment*

Challenge the rules of biking with 37 mm dia front forks that give a muscular look to the machine while making it super smooth on rough roads.



120/80x17 Rear Tyre *Best in segment*

With a 120/80x17 rear tyre, widest in its category, challenge the roads as you drive on, totally unbothered.



Monoshock Rear Suspension

Never feel a bump as you maneuver the toughest of roads, with a 7-step adjustable monoshock rear suspension. Comfort, uninterrupted.

CHALLENGING THE STANDARDS OF **SAFETY**




Single-Channel ABS *1st in segment*

Command the vehicle as it stops within much shorter distances and gives you outstanding stability. With a first-in-class single-channel ABS, make braking quick, consistent, and predictable giving you complete control in diverse riding conditions.



Hazard Lamp

Challenge the unexpected with advanced tech that keeps you safe, no matter what.



Front Disc Brake

For robust braking and unmatched linearity as you stop in seconds with 276 mm front disc brakes that will never let you down.

**AVAILABLE IN
EXCITING COLOURS**

COBALT BLUE



STALLION BLACK

FIRESTORM RED



**AVAILABLE IN
SINGLE SEAT IN
ALL THREE COLORS**

TECHNICAL SPECIFICATIONS

Engine	Acceleration 0-60 kmph (sec)	5.9 Sec
	Max Power [BHP)/rpm]	11.4 BHP @8250 RPM
	Max Torque (Nm/rpm)	10.5 Nm @6000 RPM
	Fuel Efficiency	66 km/l
	Engine Type	Air Cooled 4 Stroke
	Bore & Stroke	52.4mm X 57.8mm
	Displacement (Cm3)	124.7
	Fuel System	Fuel Injection
Transmission & Chassis	Caster (°)	24.1°
	Steering Angle (°)	43°
	Frame Type	Diamond
	Swing Arm	Tubular - Fabricated
	Transmission Type	Constant Mesh, 5 Speed
	Clutch Type	Wet Multi Plate
Suspension	Front Suspension Type	Dia. 37mm Conventional Fork
	Rear Suspension Type	Hydraulic Shock Absorbers
Brakes	Front Brake Type	Disc Type (IBS) - Dia 240 mm
		Disc Type (ABS)-Dia 276 mm
	Rear Brake Type (with IBS)	Drum Type- Dia 130 mm
Wheels & Tyres	Wheel Type	Alloy
	Front Tyre Size	90/90 - 17 TL
	Rear Tyre Size	120/80 - 17 TL
Electricals	Battery (V-Ah)	MF 12V, 4 AH (ETZ 5)
	Starting System	Self (with i3s) & Kick
	ACC Capacity (W/rpm)	160 W / 5000 rpm
Dimensions	Overall Length (mm)	2009
	Overall Width (mm)	793
	Overall Height (mm)	1051
	Wheelbase (mm)	1319 mm
	Seat Height (mm)	794
	Ground Clearance (mm)	180
	Trail (mm)	89.2
	Fuel Tank Capacity (L)	10 L
	Curb Mas (kg) (Self Disc Cast)	136

Hero MotoCorp Ltd.

Regd. Office: The Grand Plaza, Plot No. 2, Nelson Mandela Road, Vasant Kunj, Phase - II, New Delhi - 110070, India.
OIN: L35911DL1984PLCO17354 | For further information, contact your nearest Hero MotoCorp authorised outlet or call our Toll-free no.: 1800 266 0018 or visit us on www.heromotocorp.com.

