

5" COLOR TFT WITH CONNECTIVITY



ALL-NEW KTM 200 DUKE

NAVIGATION | SUPERMOTO | HEADSET PAIRING

SCROLL



KTM 200 DUKE

THE LIGHT HEAVYWEIGHT

The all-new **KTM 200 DUKE** with its predatory design and ultra-compact, single cylinder, 4-stroke engine embodies the true DUKE attitude.



BOOK NOW




KTM 200 DUKE

RACE AHEAD WITH 5" COLOR TFT DISPLAY



Everything you need at a glance. The KTM 200 DUKE features an all-new **5" bonded glass TFT dashboard**. - new switch cube, with 4-way menu switches that allow easy interaction with all vehicle functions



MY RIDE

Navigation with Bluetooth pairing Stay connected with **KTM MY RIDE**. Pair your smartphone via Bluetooth and manage incoming calls on the TFT display with ease, all while keeping your focus on the road ahead.



KTM 200 DUKE



**SUPERMOTO
ABS**

Thrill-seeking riders will love the added fun factor (and extra racetrack control) of the advanced "**Supermoto mode**", activated at the push of a button. The rear brake pressure is entirely up to the rider's right foot. Feel like a trail-braking master.



KTM CONNECT

Pair your headset with KTM MY RIDE for seamless communication on the go. Listen to calls, music, or navigation instructions directly through your helmet, all while staying focused on your ride.



KTM 200 DUKE



The **lightweight split-steel trellis frame** keeps the weight closer to the centre of gravity, maximizing its manoeuvrability and precision.



The **13.5 L steel fuel tank** not only provides the rider with perfect knee contact, but also 30% longer range.



One look at this **twin LED headlight** on the KTM 200 Duke, you are hooked by its full-offensive stance. Optimum visibility is guaranteed with that distinctive look.



KTM 200 DUKE



DARK
GALVANO



SILVER
METALLIC



ELECTRONIC
ORANGE



KTM 200 DUKE:

TECHNICAL SPECIFICATIONS

ENGINE TYPE	Single Cylinder, 4-Valve, Liquid Cooled, FI, DOHC
ENGINE CAPACITY	199.5 cc
POWER	25 PS @ 10,000 rpm
TORQUE	19.3 Nm @ 8,000 rpm
BRAKES (FRONT)	300mm Disc, 4 piston Radially mounted Fixed Caliper
BRAKES (REAR)	230mm Disc, 1 piston Floating Caliper
SUPERMOTO ABS	Bosch Dual-Channel ABS with SUPERMOTO mode
CHASSIS	Split-Steel Trellis Frame
KERB WEIGHT	159 kg
FUEL TANK CAPACITY	13.5 L
GEARS	6 Speed

BOOK NOW

