ROYAL ENFIELD

CELEBRATING 125 Years

CLASSIC 650

THE 125TH ANNIVERSARY EDITION
HYPERSHIFT CLASSIC 650

ALCHEMY OF A CLASSIC

125 years of Pure Motorcycling, brought together in one singular machine: the striking limited-edition Classic 650. An extraordinary amalgamation of every colourway from our long and storied history, it blends a brass base circa 1901 with deep tones and gleaming golds for a Hypershift finish that shade-shifts with every move. A gilded 125 Years crest, special side-panel badging, and hand-painted pinstripes complete the tribute.

HYPERSHIFT FINISH

An ode to every era and every hue of Royal Enfield, the Hypershift finish blends a brass base with deep tones and gleaming golds that shade-shift with every move.

THE CANNON SALUTE

Crowning the Anniversary Edition Hypershift Classic 650's fuel tank, the iconic Royal Enfield cannon decal pays tribute to 125 years of Pure Motorcycling.

CAST IN GOLD

A beautifully detailed, gold-cast 125 Years commemorative crest anchors the side panel of this special-edition Classic 650.

HANDPAINTED PINSTRIPES

Flawlessly applied by our master artists, the signature pinstripes add a final flourish of tradition and craftsmanship.

TAILORED SEAT

The Classic 650 features a rich, vintage-style brown leather single seat with intricate quilted stitching that brings elegance and comfort to every ride.



SPECIFICATIONS

ENGINE

Type	Inline twin cylinder, 4 stroke, SOHC
Displacement	647.95cc
Bore x stroke	78 mm x 67.8 mm
Compression Ratio	9.5 : 1
Maximum Power	34.6 kW @ 7250 rpm
Maximum Torque	52.3 Nm @ 5650 rpm
Idle RPM	1200 ± 100 rpm
Clutch	Wet multi plate
Gearbox	6 Speed constant mesh
Lubrication	Forced lubrication, Wetsump with pump driven oil delivery
Engine Oil	Fully synthetic 10W-50 to API SL (or higher) JASO MA2
Fuel Supply	Fuel Injection
Starting System	Electric start

CHASSIS AND SUSPENSION

Type	Steel Tubular Spine Frame
Front Suspension	Telescopic Fork 43mm
Front Wheel Travel	120 mm
REAR Suspension	TWIN SHOCK
REAR Wheel Travel	90 mm

DIMENSIONS

Wheelbase	1475 mm
Ground Clearance	154 mm
Length	2250 mm
Width	892 mm
Height	1137 mm
Seat Height	800 mm
Kerb Weight	243 kg (with 90% fuel & oil)
Fuel Capacity	14.7 ltr

BRAKES AND TYRES

Tyres Front	100/90-19"
Tyres Rear	140/70 R18
Brakes Front	Hydraulic Disc Brake Single 320 mm disc, twin piston floating caliper
Brakes Rear	Hydraulic Disc Brake Single 300 mm disc, twin piston floating caliper
ABS	DUAL CHANNEL

ELECTRICALS

Electrical System	12V
Battery	12V, 12 AH
Head Lamp	12V, LED Headlamp
Tail Lamp	12V, LED LAMP
Turn Signal Lamp	12V, 10 WATTS
Other Equipment	USB TYPE C Charging point


ROYAL ENFIELD