

ROYAL ENFIELD

KEEP HUNTING



ROYAL ENFIELD
HUNTER
350



HUNT IN NEW COLOURS

The 2026 Hunter 350. All-new hoods. Fresh new drip. A cool-seeking machine made to zip through the world's hottest neighbourhoods and lock onto the pulse of the city. From Bristol to Banaras, from Paris to Pune—keep hunting.



MAXIMUM MOTORCYCLE PER SQUARE INCH

The 2026 Hunter 350 is Pure Motorcycling in its most concentrated form. Its short wheelbase, compact and muscular design, and retuned rear suspension let you turn on a dime through traffic, twisties and everything in between.



TORQUE OF THE TOWN

At the heart of the Hunter is 350cc of power and torque. Paired with a slip-assist clutch that keeps you nimble and responsive with each flick of the wrist, it turns every neighbourhood into your playground, every time you hunt.



HUNT YOUR HOOD

An intuitive ergonomic triangle that syncs perfectly with you, reacting to your every mood and every move. The 2026 Hunter 350 isn't just a motorcycle. It's the perfect ally for hunting your hood, two wheels at a time.



LED LIGHTS

Hunt through the night without a hitch. The 2026 Hunter 350's updated LED headlight allows you to see clearly anywhere, anytime.




DIGI-ANALOGUE INSTRUMENT CLUSTER WITH TRIPPER POD

A retro-styled, digital-display LCD speedometer comes equipped with the Royal Enfield Tripper Navigation System, so you can stay right on track on every hunt.




ON-THE-GO FAST CHARGING

Never miss an update from your tribe.
Stay plugged in even when you ride out
thanks to the Type-C charging port.



SLIP-ASSIST CLUTCH

A slip-assist clutch keeps you nimble and responsive, with every flick of the wrist, no matter what your speed.



STEADY SUSPENSION AND ENHANCED COMFORT

Ride in complete comfort even on the bumpiest of streets with the 2026 Hunter 350's updated suspension and upgraded seat cushioning.

COLOURWAYS

TOP



TOKYO BLACK



MUMBAI YELLOW



MOONSHOT WHITE



LONDON RED



REBEL BLUE

COLOURWAYS

MID



GRAPHITE GREY



RIO WHITE



DAPPER GREY

COLOURWAYS

— BASE PREMIUM —



TARMAC BLACK

— BASE —



FACTORY BLACK

SPECIFICATIONS

TOP AND MID

ENGINE

TYPE	SINGLE CYLINDER, 4-STROKE, AIR-OIL COOLED
DISPLACEMENT	349CC
BORE X STROKE	72MM X 85.8MM
COMPRESSION RATIO	9.5:1
MAXIMUM POWER	20.2BHP @ 6100RPM (14.87KW)
MAXIMUM TORQUE	27NM @ 4000RPM
IGNITION SYSTEM	ELECTRONIC FUEL INJECTION (EFI) (CONTI)
CLUTCH	WET, MULTI-PLATE (ASSIST & SLIPPER) CLUTCH
GEARBOX	5-SPEED CONSTANT MESH
LUBRICATION	WET SUMP, FORCED LUBRICATION
ENGINE OIL	SAE 15W 50 API SL GRADE, JASO MA 2 SEMI-SYNTHETIC
AIR CLEANER	PAPER ELEMENT
ENGINE START	ELECTRIC

CHASSIS & SUSPENSION

TYPE	TWIN DOWNTUBE SPINE FRAME
FRONT SUSPENSION	TELESCOPIC, 41MM FORKS, 130MM TRAVEL
REAR SUSPENSION	TWIN TUBE EMULSION SHOCK ABSORBERS WITH 6-STEP ADJUSTABLE PRELOAD (100MM TRAVEL)

DIMENSIONS

WHEELBASE	1370MM
GROUND CLEARANCE	160MM
LENGTH	2055MM
WIDTH	810MM (WITHOUT MIRRORS)
HEIGHT	1070MM (WITHOUT MIRRORS)
SEAT HEIGHT*	790MM
KERB WEIGHT	181KG (WITH 90% FUEL & OIL)
FUEL CAPACITY	13LTR

BRAKES & TYRES

FRONT TYRE	ALLOY WHEEL - 110/70 - 17" - 54P (TUBELESS)
REAR TYRE	ALLOY WHEEL - 140/70 - 17" - 66P (TUBELESS)
FRONT BRAKE	300MM DISC WITH TWIN-PISTON FLOATING CALIPER
REAR BRAKE	270MM DISC, SINGLE-PISTON FLOATING CALIPER
ABS	DUAL-CHANNEL ABS

ELECTRICALS

ELECTRICAL SYSTEM	12V - DC
BATTERY	12V, 8AH, VRLA (MAINTENANCE-FREE)
HEADLAMP	HB/LB: 12V, 16.5W/11W (LED) WITH INTEGRATED FPL 12V, 1.65W (LED)
TAIL LAMP	TAIL/STOP: 13.5V, 0.5W/4.8W (LED)
TURN SIGNAL LAMP	12V, 10W X 2 PAIRS (FRONT & REAR)
PILOT LAMP	INTEGRATED WITH HEADLAMP
CLUSTER	DIGI-ANALOG (KMPH) (SINGLE SCALE)
USB CHARGER	TYPE-C FAST CHARGING
FLASHER RELAY	2-PIN
NEUTRAL SWITCH	YES
GEAR POSITION SENSOR	YES

SPECIFICATIONS

BASE PREMIUM

ENGINE

TYPE	SINGLE CYLINDER, 4-STROKE, AIR-OIL COOLED
DISPLACEMENT	349CC
BORE X STROKE	72MM X 85.8MM
COMPRESSION RATIO	9.5:1
MAXIMUM POWER	20.2BHP @ 6100RPM (14.87KW)
MAXIMUM TORQUE	27NM @ 4000RPM
IGNITION SYSTEM	ELECTRONIC FUEL INJECTION (EFI) (CONTI)
CLUTCH	WET, MULTI-PLATE (ASSIST & SLIPPER) CLUTCH
GEARBOX	5-SPEED CONSTANT MESH
LUBRICATION	WET SUMP, FORCED LUBRICATION
ENGINE OIL	SAE 15W 50 API SL GRADE, JASO MA 2 SEMI-SYNTHETIC
AIR CLEANER	PAPER ELEMENT
ENGINE START	ELECTRIC

CHASSIS & SUSPENSION

TYPE	TWIN DOWNTUBE SPINE FRAME
FRONT SUSPENSION	TELESCOPIC, 41MM FORKS, 130MM TRAVEL
REAR SUSPENSION	TWIN TUBE EMULSION SHOCK ABSORBERS WITH 6-STEP ADJUSTABLE PRELOAD (100MM TRAVEL)

DIMENSIONS

WHEELBASE	1370MM
GROUND CLEARANCE	160MM
LENGTH	2055MM
WIDTH	810MM (WITHOUT MIRRORS)
HEIGHT	1070MM (WITHOUT MIRRORS)
SEAT HEIGHT*	790MM
KERB WEIGHT	177KG (WITH 90% FUEL & OIL)
FUEL CAPACITY	13LTR

BRAKES & TYRES

FRONT TYRE	ALLOY WHEEL - 100/80 - 17" - 52P (TUBELESS)
REAR TYRE	ALLOY WHEEL - 120/80 - 17" - 61P (TUBELESS)
FRONT BRAKE	300MM DISC WITH TWIN-PISTON FLOATING CALIPER
REAR BRAKE	153MM DRUM, SINGLE-LEAD INTERNAL EXPANDING
ABS	SINGLE-CHANNEL ABS

ELECTRICALS

ELECTRICAL SYSTEM	12V - DC
BATTERY	12V, 8AH, VRLA (MAINTENANCE-FREE)
HEADLAMP	HB/LB: 12V, H4-60/55W (HALOGEN) WITH INTEGRATED FPL 12V, 5W [HALOGEN]
TAIL LAMP	TAIL/STOP: 13.5V, 0.5W/4.8W (LED)
TURN SIGNAL LAMP	12V, 10W X 2 PAIRS (FRONT & REAR)
PILOT LAMP	INTEGRATED WITH HEADLAMP
CLUSTER	DIGITAL CLUSTER WITH MAIN LCD
USB CHARGER	TYPE-C PORT
FLASHER RELAY	2-PIN
NEUTRAL SWITCH	YES
GEAR POSITION SENSOR	NO

SPECIFICATIONS

BASE

ENGINE

TYPE	SINGLE CYLINDER, 4-STROKE, AIR-OIL COOLED
DISPLACEMENT	349CC
BORE X STROKE	72MM X 85.8MM
COMPRESSION RATIO	9.5:1
MAXIMUM POWER	20.2BHP @ 6100RPM (14.87KW)
MAXIMUM TORQUE	27NM @ 4000RPM
IGNITION SYSTEM	ELECTRONIC FUEL INJECTION (EFI) (CONTI)
CLUTCH	WET, MULTI-PLATE (ASSIST & SLIPPER) CLUTCH
GEARBOX	5-SPEED CONSTANT MESH
LUBRICATION	WET SUMP, FORCED LUBRICATION
ENGINE OIL	SAE 15W 50 API SL GRADE, JASO MA 2 SEMI-SYNTHETIC
AIR CLEANER	PAPER ELEMENT
ENGINE START	ELECTRIC

CHASSIS & SUSPENSION

TYPE	TWIN DOWNTUBE SPINE FRAME
FRONT SUSPENSION	TELESCOPIC, 41MM FORKS, 130MM TRAVEL
REAR SUSPENSION	TWIN TUBE EMULSION SHOCK ABSORBERS WITH 6-STEP ADJUSTABLE PRELOAD (100MM TRAVEL)

DIMENSIONS

WHEELBASE	1370MM
GROUND CLEARANCE	160MM
LENGTH	2055MM
WIDTH	810MM (WITHOUT MIRRORS)
HEIGHT	1070MM (WITHOUT MIRRORS)
SEAT HEIGHT*	790MM
KERB WEIGHT	177KG (WITH 90% FUEL & OIL)
FUEL CAPACITY	13LTR

BRAKES & TYRES

FRONT TYRE	SPOKE WHEEL - 100/80 - 17" - 52P (TUBE TYPE)
REAR TYRE	SPOKE WHEEL - 120/80 - 17" - 61P (TUBE TYPE)
FRONT BRAKE	300MM DISC WITH TWIN-PISTON FLOATING CALIPER
REAR BRAKE	153MM DRUM, SINGLE-LEAD INTERNAL EXPANDING
ABS	SINGLE-CHANNEL ABS

ELECTRICALS

ELECTRICAL SYSTEM	12V - DC
BATTERY	12V, 8AH, VRLA (MAINTENANCE-FREE)
HEADLAMP	HB/LB: 12V, HSI-35/35W (HALOGEN)
TAIL LAMP: TAIL/STOP	12V, 21W/5W [BULB]
TURN SIGNAL LAMP	12V, 10W X 2 PAIRS (FRONT & REAR)
PILOT LAMP	NA
CLUSTER	DIGI-ANALOG (KMPH) (SINGLE SCALE)
USB CHARGER	TYPE-C PORT
FLASHER RELAY	2-PIN
NEUTRAL SWITCH	YES
GEAR POSITION SENSOR	NO

PERSONALISE
YOUR 2026
HUNTER 350
YOUR WAY.
FROM DAY 1.

MiY
MAKE IT YOURS

KNOW MORE

MAKE IT YOURS

Choose the way you hunt by
personalising and customising
your Hunter 350 with MiY.



MACHINE LOVE



SERVICE COST CALCULATOR

Plan ahead. Get the estimated service cost for your motorcycle before you book the appointment.



ROADSIDE ASSISTANCE

Get peace of mind wherever you're headed with on-site support for your motorcycle.



SPARES, ESSENTIALS, OILS & LUBES

Choose from our widely available range of Royal Enfield Spare Parts, Essentials, Oils, and Lubes, and keep your motorcycle riding at its best.



EXTENDED WARRANTY

Avail up to four additional years of complete coverage on all repairs, replacements and maintenance.



SERVICE BOOKING ON ROYAL ENFIELD APP

Book your motorcycle service appointment anytime, anywhere via the Royal Enfield app.



LABOUR ANNUAL MAINTENANCE CONTRACT

In addition to having all your labour costs covered as part of your scheduled service, get 10% off on all additional labour costs and 5% off on all spare parts.



KEEP HUNTING

ROYAL ENFIELD
HUNTER
350

Some of the components and accessories featured in the photographs may not be a part of the standard fitment and applicable for all markets. For any queries, call us at 18002100007 or email us at support@royalenfield.com