





TVS APACHE RTR 160 4V SPECIFICATIONS

ENGINE

Type SI, 4 Stroke, Oil-Cooled, SOHC, Fuel Injection

Engine Capacity 159.7 cm³

Sport: 12.91 kW (17.55 PS) @ 9250 rpm **Maximum Power**

Urban / Rain: 11.50 kW (15.64 PS) @ 8650 rpm

Sport: 14.73 Nm @ 7500 rpm **Maximum Torque**

> Urban / Rain: 14.14 Nm @ 7250 rpm Fuel Injection: Bosch - Closed Loop

Fuel Supply System Valve Per Cylinder 4 Valves

Electric Start Ignition

Cooling System Oil-Cooler with Ram Air Assist

Bullpup Exhaust Design Muffler Gearbox 5 Speed Gearbox 0.088 kW/ka Power to weight ratio

Double Cradle Split Synchro Stiff Frame Frame Front Suspension Upside Down Forks with 37mm dia

Rear Suspension Monoshock

FUEL TANK CAPACITY

12 L Full

DIMENSION

Height 1050 mm (without visor)

1111 mm (with visor)

Length 2035 mm Width 819 mm Wheelbase 1357 mm **Ground Clearance** 180 mm Saddle Height 800 mm

ELECTRICAL

Battery 12V, 6Ah

Headlamp LED Headlamp with DRL

LED Tail Lamp

TYRE

Tyre (Front) 90/90-17 49P Tubeless

Tyre (Rear) 130/70 R17 M/C 62P Tubeless (Radial tyre)

BRAKE

270 mm dia Petal Disc Front 240 mm dia Petal Disc Rear

Brake Fluid DOT 3 / DOT 4

WEIGHTS

Kerb Weight 146 kg

PERFORMANCE

Sport: 114 km/h Max Speed

Urban / Rain: 103 km/h

KEY FEATURES

- » USD Front Forks
- » Ride Modes Sport, Urban & Rain
- **Dual Channel ABS with RLP**
- » Coloured Alloy Wheels

- » Bluetooth Connectivity with Voice Assist
- LED Headlamp with DRL
- Adjustable Brake and Clutch Levers
- » Radial Rear Tyre



TVS Motor Company Limited, P.B. No. 4, Harita, Hosur - 635 109, Tamil Nadu, India. Telephone: +91 (4344) 276878 / 277311.