

TVS *Racing*

TVS 



NTORQ 125 XT

PLAY SMART. PLAY NEXT.

**INDIA'S 1ST SCOOTER WITH
NEW TVS
SMART XONNECT
WITH TFT**

PLAY SMART. PLAY NEXT.

THE NEW TVS NTORQ 125 XT IS HERE!

*A scooter that puts you ahead of the rest on all fronts.
Whether be it performance, technology or style.
The TVS Ntorq 125 XT never ceases to amaze.*





NEW

NEON COLOUR SCHEME

WITH NEW GRAPHICS






*Experience convenience like
never before with*



*Interact with the scooter by
using a range of Voice Assist
Commands and have it
responded through SmartXTalk
or as part of the upgraded
UI/UX on the speedometer.*



Enjoy a truly personalised connection with your scooter!
Set up the scooter with the


TVS
SMART XCONNECT

app and be able to use your own image as Profile display.


Get notified on the go with Social Media Integration that allows SmartXtrack from social sites, e-commerce, and a range of offline notifications. You will also be able to share your own Ride Records and other Achievements.



SOCIAL MEDIA NOTIFICATIONS



FOOD DELIVERY NOTIFICATIONS



E-COMMERCE ALERT NOTIFICATIONS



BEST LAP ALERT



Sharp turn right
500m

Bandra East Community Centre

09:45
pm

56.5
KM

12:55 PM
ETA

NAVIGATION - TURN-BY-TURN INSTRUCTIONS

Destination arrived
Mulji Nagar



Distance
23 km

Time
01:04 min

Traffic
12 min

09:45
pm

15%
Fuel left

NAVIGATION - DESTINATION ARRIVED

NEW ADVANCED NAVIGATION SYSTEM

Now ride your scooter freely with New Advanced Navigation and never get lost again. Simply ask your Ntorq where you need to go with Navigatory Voice Commands and it'll respond with Audio Navigation Assist and if listening to the scooter isn't possible, you can simply follow the Graphic Navigation Display that gives you turn-by-turn instructions.

SPECIFICATIONS

ENGINE (BS - VI compliant)

Type

Single Cylinder, 4-stroke, Fuel Injected,
Air Cooled, Spark Ignition Engine

Displacement

124.8 cc

Maximum Power

7.0 kW @ 7000 RPM/9.39 BHP @ 7000 RPM

Maximum Torque

10.6 Nm @ 5500 RPM

Clutch

Dry Centrifugal Clutch

ELECTRICALS

Battery

12V, 4 Ah MF

Headlamp

LED

CHASSIS

Frame

Under Bone Tubular Type

Dimensions

1861 x 710 x 1164 mm

Wheelbase

1285 mm

Ground Clearance

155 mm

Kerb Weight

109 kg

SUSPENSION

Front

Telescopic Hydraulic

Rear

Coil Spring with Hydraulic Dampers

TYRE

Front

100/80-12 – Tubeless

Rear

110/80-12 – Tubeless

BRAKES

Front

Disc: Dia 220 mm with SBT

Rear

Drum: Dia 130 mm

FUEL TANK CAPACITY

Fuel Tank

5.8 litre

AIR FILTER

Air Filter

Paper + Foam Filter



SCAN TO
KNOW MORE

TVS  **TVS MOTOR COMPANY LIMITED**

P. B. No. 4, Harita, Hosur - 635 109, Tamil Nadu, India.

Tel: +91 (4344) 276780 | Fax: +91 (4344) 277311 / 276878

www.tvsmotor.com/tvs-ntorq | Toll-free No.: 18003157117



@tvs_ntorq



fb.com/tvsntorq/

