











NAVIGATION ASSIST



CALLER ID



LAST PARKED LOCATION ASSIST



SHARE RIDE STATS
ON SOCIAL MEDIA PLATFORMS



REMOTE BACKLIT
ILLUMINATION CONTROL







TVS CONNECT APP




2500-- [1:00°

TVS CONNECT APP



















SPECIFICATIONS

ENGINE	
Туре	Single Cylinder, 4-stroke, SI, Air Cooled, Fuel Injected
Displacement (cc)	124.8 cc (3V)
Max. Power	7.0 kW @ 7000 RPM/9.39 BHP @ 7000 RPM
Max. Torque	10.6 Nm @ 5500 RPM
ELECTRICALS —	
Battery	12V, 3 Ah MF
Headlamp	LED Lamp
CHASSIS —	
Frame	High Rigidity Under Bone Tubular Type
Dimensions	1861 x 710 x 1164 mm
Wheelbase	1285 mm
Ground Clearance	155 mm
Kerb Weight	111 kg
SUSPENSION ————	
Front	Telescopic Suspension with Hydraulic Dampers
Rear	Coil Spring with Hydraulic Dampers
TYRES ————	
Front	Tubeless 100/80-12
Rear	Tubeless 110/80-12
BRAKES ————	
Front	Disc: Dia 220 mm with SBT
Rear	Drum: Dia 130 mm
CLUTCH —	
Туре	Automatic Centrifugal Clutch
FUEL TANK CAPACITY ——	
Fuel Tank	5.8 litre
AIR FILTER ————	
Air Filter	Dry Paper + Foam Filter





RACE EDITION SERIES





Red Black

Marine Blue



tvs_ntorq tvsntorq



TVS > TVS MOTOR COMPANY LIMITED

P. B. No. 4, Harita, Hosur - 635 109, Tamil Nadu, India. Tel: +91 (4344) 276780 | Fax: +91 (4344) 277311 / 276878 Website: www.tvsmotor.com/tvs-ntorg/ | Toll-free No.: 18003157117