

WICKED STYLE

INDIA'S FIRST COMMUTER BIKE WITH 8 TFT CONSOLE



WICKED PERFORMANCE_



ADVANCED 3-VALVE ENGINE
Air cooled engine with oil cooling



MULTIPLE RIDE MODES



TOP-CLASS **ACCELERATION**

0-60 km/h in 5.8 sec*



BEST-IN-CLASS TORQUE

11.75 Nm @6000RPM



10% MORE MILEAGE*





15% MORE MILEAGE*
SMOOTH ENGINE PERFORMANCE

WICKED SAFETY+CONVENIENCE_



ROTOPETAL DISC BRAKE



FIRST-IN-SEGMENT DUAL DISC BRAKES with Single Channel ABS.

(available in TFT DD and SXC DD)



SIDE STAND INDICATION AND ENGINE CUT-OFF





HELMET ATTENTION INDICATION



UNDER-SEAT STORAGE



USB CHARGER

WICKED CONNECTED TECH_

TFT CONSOLE

REVERSE LCO





99 FEATURES

85+ FEATURES











NAVIGATION



WICKED COMFORT_



COMFORTABLE RIDING POSTURE





MONOSHOCK SUSPENSION



WIDER TYRES



WIDER SPLIT SEAT



180 MM GROUND CLEARANCE

WICKED COLOURS_

RED ALLOYS







NARDO GREY_

WICKED BLACK_

STRIKING REO_

BLACK ALLOYS





FORZA BLUE_

STRIKING RED_





BLAZING BLUE_

FIERY YELLOW_





BLACK PANTHER_

IRON MAN_





DEADPOOL_

WOLVERINE_

TECHNICAL SPECIFICATIONS_

	TFT DD	SXC DD	SSE	IGO	SPLIT-SEAT	SINGLE-SEAT	DRUM
Front/Rear Brake	Dual Disc with ABS	Dual Disc with ABS	Disc/Drum	Disc/Drum	Disc/Drum	Disc/Drum	Disc/Drum
Technology	IGO Assist	IGO Assist	IGO Assist	IGO Assist	IGO Assist	Intelligo	Intelligo
Screen	TFT	Reverse LCD	Reverse LCD	Reverse LCD	Reverse LCD	Reverse LCD	Reverse LCD
Connected Tech	99+Features	85+Features	85+Features	85+Features	85+Features	N/A	N/A
SmartXonnect	Yes	Yes	Yes	Yes	Yes		
Boost Mode	Yes	Yes	Yes	Yes	Yes		
Voice Assist	Yes	Yes	Yes	Yes	Yes	No	No
Kerb Weight in kg	125	125	123	123	123	124	124
Call Management	Yes	Yes	Yes	Yes	Yes	No	No
Maximum Torque in Nm	11.75@6000rpm	11.75@6000rpm	11.75@6000rpm	11.75@6000rpm	11.75@6000rpm	11.2@6000rpm	11.2@6000rpm

ENGINE & TRANSMISSION					
Туре	Air & Oil cooled, single cylinder, SI				
Bore x Stroke (mm)	53.5 x 55.5				
Piston Displacement (cc)	124.8				
No. of Valves	3				
Maximum Power in kW	8.37 @ 7500 rpm				
aaNo. of Gears	5-speed				
Pattern	1-N-2-3-4-5				
CHASSIS DIMENSIONS & WEIGHT					
Overall Length (mm)	2070				
Overall Height (mm)	1028				
Overall Width (mm)	785				
Wheelbase (mm)	1326				
Ground Clearance (mm)	180 (Unladen)				
Kerb Weight (kg)	123(SSE, IGO, SPLIT) 124(SINGLE-SEAT, DRUM) 125(TFT DD & SXC DD)				
SUSPENSION					
Front Type	Telescopic				
Rear Type	Monoshock, 5-step adj, Gas charged				
TYRE					
Front Tyre	90/90- 17 Tubeless, 57P(TFT DD and SXC D)	80/100-17 Tubeless, 46P			
Rear Tyre	110/80 - 17 Tubeless, 57P(TFT DD and SXC D)	100/90-17 Tubeless, 55P			
BRAKES					
Front (mm)	Disc - 240 with ABS (TFT DD and SXC DD)	Disc - 240, Drum - 130			
Rear (mm)	Disc - 200 (TFT DD and SXC DD)	130 SYNCRO SBT			
ELECTRICALS					
Battery Type & Spec.	MF battery, 12V 4 Ah				
Headlamp	LED				
Tail Lamp	LED				
CAPACITIES					
Fuel Tank (litre)	10				

Accessories shown in the images may not be part of standard equipment. Technical specifications may change without prior not

TVS XX TVS MOTOR COMPANY LIMITED

P.B. No. 4, Harita, Hosur-635 109, Tamil Nadu, India. Tel: +91 (04344) 276780 | Fax: +91 (04344) 276878

www.tvsmotor.com